Pharmacy Use Only

COVID-19 screening has been conducted and the Patient does not present symptoms of COVID-19 or present with risk of exposure to COVID-19.

Yes

No

SEASONAL INFLUENZA VACCINATION SCREENING AND CONSENT FORM

Please complete this form and read the document entitled "Preparing for Your Influenza Vaccine" before receiving the seasonal influenza vaccine. Your answers to these questions will help the Pharmacist determine if the flu vaccine is appropriate at this time. If you are a parent or guardian providing consent for a child or other person, please complete this form for the person being vaccinated.

PATIENT INFORMATION		uestions and/or concerns about this ase speak with the Pharmacist at:	form or the					
Legal First and Last Name:		'						
Age: Date of Birth: yyyy /mm /d	sessment & reimbursement) (self-identify)							
Address:								
Street Apartment City Province Postal Code								
Health Card #: (Personal Health Identification Number)								
Emergency Contact Name								
and Phone Number:								
Screening Questionnaire for Person to be Vaccinated								
Are you sick today (i.e., fever greater than 39.5°C, nasa	I congestion, breathing problems, act	ive infection)?						
Have you ever had a serious reaction after receiving a v	accination in the past?							
Do you have an allergy to any of the components of the influenza vaccine? (e.g., gentamicin, kanamycin, neomycin, thimerosal, formaldehyde, polymyxin B)								
Do you have any allergies? (including: medications, food, or latex)?								
Do you take blood thinner (aspirin, warfarin, dabigatran, rivaroxaban, apixaban, edoxaban, etc) or have bleeding problems?								
Have you developed Guillain-Barré syndrome within 6 weeks of previous influenza vaccination?								
If the Patient is less than 9 years old, are they receiving the influenza vaccine for the first time?								
Optional Screening Questions: Your answers to these questions help the Pharmacist determine your current immunization status and assist in providing adult vaccine recommendations. This information is NOT required to administer an influenza vaccine.								
If you are 50 years or older, have you received a Shingles vaccine in the past?								
If you are 50 years or older, have you received a Pneumococcal vaccine in the past?								
Have you received all recommended COVID-19 vaccines?								
Seasonal Influenza Vaccination Patient/Agent Consent								
I consent to having the Health Care Professional (HCP) administer the seasonal influenza vaccine. I have reviewed the document entitled "Preparing for Your Influenza Vaccine" and the pharmacist has answered my questions. I understand the risks, benefits, expected outcome and possible side effects of this vaccine and agree to wait in the Pharmacy at minimum 15 minutes after receiving the vaccination. I agree to see a doctor if I develop any side effects or health problems after receiving the vaccine. I agree that the Pharmacy may share my personal health information regarding this vaccination as required with public health officials and other healthcare providers.								
Preparing for Your Influenza Vaccine:	If providing consent for Patient identified above, complete below:							
Scan the QR code with your smart phone camera to review information	Contact information of Patient's agent (name and telephone):							
about the influenza vaccine, or ask the Pharmacy Team for a printed copy.	Relationship to person receiving the seasonal influenza vaccination:							
SCAN ME Frialmacy learn for a printed copy.	□ Parent □ Guardian □	Other, please specify						
☐ I am providing consent for myself ☐ I am providing consent for the Patient identified above.								
Name of person providing consent: Date://								



Additional Screening Questions for Live Vaccines: (Flu Mist) Yes No							No		
Do you have a history of hyp				s, to eggs, egg proteins, g	elatin or are	ginine?			
Do you have any of the follow)		
						iii diddiddid	,		
Do you take any of the following medications (currently, recently)? • drugs used to treat immune system disorders such as prednisone, other steroids, anti-cancer drugs; or • drugs for the treatment of rheumatoid arthritis, Crohn's disease, psoriasis, other immune system conditions; or • antiviral drugs									
Do you have close contact w	ith a	nyone with a severe	ely weakened immune	system?					
	Are you pregnant? Or is there a chance of pregnancy during the next month?								
Have you received any vacci	Have you received any vaccines in the past 4 weeks?								
Are you under 18 years of ag	ge an	d taking medicatio	n containing ASA?						
Pharmacy Use Only – Pharmacist Documentation									
Standard QIV (IIV4-SD)		idard QIV (IIV4-cc)	Adjuvanted (IIV-Adj)	Live Attenuated (LAIV4) R		Recon	Recombinant (RIV4)		
Afluria Tetra (Pre-Filled Syringe) (DIN 02473283)		lucelvax Quad DIN 02494248)	☐ Fluad (DIN 02362384)	☐ Fluzone High-Dose Quadrivalent (Pre-Filled Syringe) (DIN 02500523)	☐ FluMist Quadrivalent ☐ Suped (DIN 02426544) ☐ (Pre		pemtek e-Filled Syringe) N 02510936)		
Afluria Tetra (MultiDose Vial) (DIN 02473313)			☐ Fluad Pediatric (DIN 02434881)						
☐ Flulaval Tetra (DIN 02420783)									
☐ Fluzone Quadrivalent (Pre-Filled Syringe) (DIN 02420643)					Other:				
☐ Fluzone Quadrivalent (Multi Dose Vial) (DIN 02432730)					DIN:				
☐ Influvac Tetra (DIN 02484854)									
Dose: □ 0.5 mL □	_	Route of administr		Lot number:	Expiry:				
Site: Deltoid □ Left □ Right	Date of administra		ation:/			// PM			
Rationale for vaccination		Prevention of influenza; no contraindications Other comments:							
Patient counseling		□ Potential adverse reactions and their management□ Other:							
Patient response		Before vaccination administration/vaccination: During administration: After waiting period:							
Adverse reactions Did the Patient have an adverse reaction? Yes No (If yes, describe nature of the reaction and action(s) taken)						;) taken)			
Follow-up		Yes No (If yes, describe the reason for follow-up and timing)							
Communication		☐ Public Health ☐ Healthcare provider Name:							
I confirm that the Patient named in this document is capable of, and has provided consent for, the seasonal influenza vaccination, or that a parent guardian or other agent has provided consent on behalf of the Patient. I confirm that the seasonal influenza vaccine should be given to the Patient based on my assessment. I confirm that the Patient has provided verbal consent.									
Name and Designation of Hea	alth (Care Professional (F	HCP) administering vac	ccine:					
HCP License Number:			Н	CP Signature:					

INFLUENZA VACCINE AFTER CARE

By getting your influenza vaccine today, you've done your part to protect yourself, your loved ones and your community from the spread of influenza. Please take a moment to review the following information

What should I do if I experience a reaction?

The influenza vaccine is well tolerated and most people will have no reaction or only a mild reaction, so you should be able to go about your normal activities for the rest of the day. The following are potential side effects and suggestions to help manage them:

- Soreness at the injection site Apply a cool compress to the site (10 minutes on and 10 minutes off) until the soreness goes away.
- Mild fever and muscle aches If needed, ask your Pharmacist to recommend an over-the-counter medication

Why do I need to stay at the Pharmacy for 15 minutes after getting my influenza vaccination?

In very rare instances, a serious allergic reaction can occur. These reactions most often begin shortly after receiving the vaccination but may appear a few hours later as well. Symptoms may include any of the following and require immediate medical attention:

- · Face, mouth, throat swelling
- · Hives, itchy rash
- Chest pain, increased heart rate, difficulty breathing
- Sudden decrease in blood pressure, dizziness, confusion
- Crampy abdominal pain, nausea, vomiting, diarrhea

In addition, if any unusual condition occurs following vaccination, such as a high fever (over 38°C), severe muscle aches or tingling or numbness in the legs, seek medical attention right away.

How long does it take for the influenza vaccine to become effective?

It takes about 2 weeks after your influenza vaccination for your body to build antibodies, and therefore, you may not have added protection from the influenza during this time.

For more information, speak to your Pharmacist.

INFLUENZA IMMUNIZATION RECORD

	Time of administration: AM / PM
	Dose administered: 0.5 mL
	Route of administration: IM
AFFIX LABEL OF ADMINISTERED DRUG	Site of administration: Deltoid: 🗖 Right 📮 Left Other
ALTIA LABEL OF ADMINISTERED DROG	Lot # Expiry:
	Keep this record in a safe place with your other personal medical information.

